



**crein**

Creative innovations



Manufactured  
in South Africa

|                       |                              |
|-----------------------|------------------------------|
| Genesis <b>2</b>      | Paula <b>25</b>              |
| Exodus <b>3</b>       | Yaris <b>26</b>              |
| Que Netted <b>4</b>   | Econo <b>27</b>              |
| Winston <b>5</b>      | Britney <b>28</b>            |
| Jasmin <b>6</b>       | Utility <b>29</b>            |
| Zelda <b>7</b>        | Amy Stacker <b>30</b>        |
| Holly Wooden <b>8</b> | Willi Stacker <b>30</b>      |
| Xenon <b>10</b>       | Rick Stacker <b>31</b>       |
| Opal <b>11</b>        | Max Stacker <b>31</b>        |
| Simone <b>12</b>      | Operators <b>33</b>          |
| Lisa <b>13</b>        | Draughtsman <b>34</b>        |
| Iris <b>14</b>        | Econo Typist <b>35</b>       |
| Nikki <b>15</b>       | Industrial <b>37</b>         |
| Fiona <b>16</b>       | Dental <b>38</b>             |
| Holly <b>17</b>       | Barstool <b>39</b>           |
| Diva <b>18</b>        | Reception <b>42</b>          |
| Heavy Duty <b>19</b>  | Auditorium <b>43</b>         |
| Rhona <b>20</b>       | Bonny <b>44</b>              |
| Tammy <b>21</b>       | Bonny II <b>45</b>           |
| Venus <b>22</b>       | Training Furniture <b>47</b> |
| Milly <b>24</b>       | School Furniture <b>50</b>   |



# GENESIS RANGE



GC6Y350AB



GC6Y6AB



GC2Y350CRS



GC6Y950AB



GC6Y350AB



GC2Y950CRS



GC2Y6CRS



GC5Y8

## Standard



Nylon Spide Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y75

Y300

Y350

Y400



Y500

Y600

Y800

Y900



Y950



700 Aluminium Base



Chrome Sleigh Frame

## Chair Movement



(Optional)

## Seat

- Pressed plywood
- Moulded foam
- External saddle stitching

## Back

- 19mm Round tubing with 1.6mm wall thickness
- 60x8mm connecting plate
- Moulded foam, concealing frame work
- External saddle stitching

|            | GC6    | GC5    | GC2    |
|------------|--------|--------|--------|
| Height     | 1150mm | 1030mm | 1000mm |
| Width      | 615mm  | 615mm  | 615mm  |
| Depth      | 650mm  | 650mm  | 620mm  |
| Weight     | 25kg   | 23kg   | 19kg   |
| Seat Low   | 440mm  | 440mm  | 500mm  |
| Seat High  | 540mm  | 540mm  |        |
| Max Weight | 120kg  | 120kg  | 120kg  |

# GENESIS RANGE

# EXODUS RANGE



EC6Y350AB



EC5Y6AB



EC2Y8



EC6Y8



EC5Y350AB



EC2Y6CRS



EC2Y350CRS



EC6Y6AB

## Standard



Nylon Spide Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y75

Y300

Y350

Y400



Y500

Y600

Y800



700 Aluminium Base

Chrome Sleigh Frame

## Chair Movement



(Optional)

## Seat

- Pressed plywood
- Moulded foam
- External saddle stitching

## Back

- 19mm Round tubing with 1.6mm wall thickness
- 100x8mm bottom support brace
- Netted slip cover, concealing frame work

|            | EC6    | EC5   | EC2    |
|------------|--------|-------|--------|
| Height     | 1080mm | 990mm | 1010mm |
| Width      | 640mm  | 640mm | 640mm  |
| Depth      | 650mm  | 650mm | 630mm  |
| Weight     | 21kg   | 19kg  | 17kg   |
| Seat Low   | 440mm  | 440mm | 500mm  |
| Seat High  | 540mm  | 540mm |        |
| Max Weight | 120kg  | 120kg | 120kg  |

# QUE NETTED RANGE



## Standard



Nylon Spide Base



Standard Sleigh Frame

## Additional Arm & Base Options



700 Aluminium Base

Chrome Sleigh Frame

## Chair Movement



[Optional]

## Seat

- Pressed plywood
- Moulded foam
- External saddle stitching

## Back

- Nylon frame with netted insert
- Fixed lumbar support
- 5 position height adjustable back rest
- Adjustable headrest



|            | QC6    | QC5   | QC2    | QC9    |
|------------|--------|-------|--------|--------|
| Height     | 1140mm | 930mm | 1010mm | 1190mm |
| Width      | 640mm  | 640mm | 640mm  | 640mm  |
| Depth      | 610mm  | 610mm | 620mm  | 640mm  |
| Weight     | 19kg   | 18kg  | 17kg   | 17kg   |
| Seat Low   | 440mm  | 440mm | 500mm  | 690mm  |
| Seat High  | 540mm  | 540mm |        | 935 mm |
| Max Weight | 120kg  | 120kg | 120kg  | 120kg  |

# QUE NETTED RANGE

# WINSTON RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y75

Y400

Y500

Y600



Y800



CB Chrome Base

700 Aluminium Base

Chrome Sleigh Frame

## Chair Movement



## Seat

- Pressed plywood
- Laminated VP70 high density and VC64 chip foam

## Back

- Nylon frame with netted insert
- Adjustable lumbar support - upholstered
- 9 position height adjustable back rest with coat hanger

|            | WC6    | WC5    | WC2    |
|------------|--------|--------|--------|
| Height     | 1220mm | 1010mm | 1040mm |
| Width      | 640mm  | 640mm  | 640mm  |
| Depth      | 610mm  | 610mm  | 620mm  |
| Weight     | 18kg   | 17kg   | 16kg   |
| Seat Low   | 480mm  | 480mm  | 520mm  |
| Seat High  | 570mm  | 570mm  |        |
| Max Weight | 120kg  | 120kg  | 120kg  |

# JASMIN RANGE



JC6Y4



JC6Y3



JC2Y4



JC5Y6AB



JC5Y4



JC2Y3



JC2CRS



JC5Y3

## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y50

Y75

Y100

Y200



Y300

Y400

Y500

Y600



Y800

CB Chrome Base

700 Aluminium Base

Chrome Sleigh Frame

## Chair Movement



## Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam
- Roughed upholstered

## Back

- Pressed plywood
- VP30 med density foam
- Upholstered pressed plywood back cover
- Roughed upholstered

|            | JC6    | JC5    | JC2    |
|------------|--------|--------|--------|
| Height     | 1100mm | 1000mm | 1020mm |
| Width      | 610mm  | 610mm  | 610mm  |
| Depth      | 590mm  | 590mm  | 680mm  |
| Weight     | 21kg   | 20kg   | 18kg   |
| Seat Low   | 480mm  | 480mm  | 520mm  |
| Seat High  | 570mm  | 570mm  |        |
| Max Weight | 120kg  | 120kg  | 120kg  |

# ZELDA RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



## Chair Movement



## Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam
- Roughed upholstered

## Back

- Pressed plywood
- VP30 med density foam
- Upholstered pressed plywood back cover
- Roughed upholstered

|            | ZC6    | ZC5    | ZC2    |
|------------|--------|--------|--------|
| Height     | 1090mm | 1000mm | 1020mm |
| Width      | 600mm  | 600mm  | 600mm  |
| Depth      | 600mm  | 600mm  | 670mm  |
| Weight     | 20kg   | 19kg   | 17kg   |
| Seat Low   | 480mm  | 480mm  | 520mm  |
| Seat High  | 570mm  | 570mm  |        |
| Max Weight | 120kg  | 120kg  | 120kg  |

# HOLLY WOODEN RANGE



HWC5B



HWC6B



HWC3



HWC3



HWC6B



HWC3S



HWC3B



HWC5B

## Standard



Oak Standard Base



Oak Laminated 4 Legged Frame



Oak 4 Legged Boomerang Frame



Oak Laminated Sleigh Base Frame

## Additional Arm & Base Options



Cherry Boomerang Arm



Oak Boomerang Arm



Cherry Base



Cherry Laminated 4 Legged Frame



Cherry 4 Legged Boomerang Frame



Cherry Laminated Sleigh Base Frame

## Chair Movement



## Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

## Back

- Pressed plywood
- VP30 med density foam

|            | HWC6B  | HWC5  | HWC3S | HWC3/B |
|------------|--------|-------|-------|--------|
| Height     | 1120mm | 970mm | 930mm | 940mm  |
| Width      | 600mm  | 600mm | 650mm | 650mm  |
| Depth      | 690mm  | 630mm | 710mm | 700mm  |
| Weight     | 20kg   | 18kg  | 13kg  | 13kg   |
| Seat Low   | 460mm  | 460mm | 500mm | 500mm  |
| Seat High  | 600mm  | 600mm |       |        |
| Max Weight | 120kg  | 120kg | 120kg | 120kg  |

# HOLLY WOODEN RANGE



# XENON RANGE

## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y50

Y75

Y100

Y200



Y400

Y500

Y600

Y800



CB Chrome Base

700 Aluminium Base

Chrome Sleigh Frame

## Chair Movement



## Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

## Back

- Nylon frame with netted insert
- Height adjustable, 4 position - adjusts lumbar support
- Height adjustable headrest



XC5



XC6Y5



XC2



XC9Y4



XC2



XC6



XC2Y5CRS



XC6Y4

|            | XC9    | XC6    | XC5    | XC2    |
|------------|--------|--------|--------|--------|
| Height     | 1210mm | 1150mm | 1000mm | 1030mm |
| Width      | 640mm  | 640mm  | 640mm  | 640mm  |
| Depth      | 640mm  | 670mm  | 610mm  | 620mm  |
| Weight     | 16kg   | 18kg   | 17kg   | 16kg   |
| Seat Low   | 690mm  | 460mm  | 460mm  | 520mm  |
| Seat High  | 935mm  | 560mm  | 560mm  |        |
| Max Weight | 120kg  | 120kg  | 120kg  | 120kg  |

# XENON RANGE

# OPAL RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



## Chair Movement



## Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

## Back

- Pressed plywood
- VP30 med density foam



|            | OC6    | OC5    | OC2    |
|------------|--------|--------|--------|
| Height     | 1150mm | 1070mm | 1100mm |
| Width      | 580mm  | 580mm  | 580mm  |
| Depth      | 630mm  | 630mm  | 710mm  |
| Weight     | 20kg   | 18kg   | 16kg   |
| Seat Low   | 480mm  | 480mm  | 520mm  |
| Seat High  | 570mm  | 570mm  |        |
| Max Weight | 120kg  | 120kg  | 120kg  |

# SIMONE RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



## Chair Movement



## Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

## Back

- Pressed plywood
- VP30 med density foam
- Upholstered pressed plywood back cover

|            | SC6    | SC5    | SC2    |
|------------|--------|--------|--------|
| Height     | 1100mm | 1000mm | 1020mm |
| Width      | 610mm  | 610mm  | 610mm  |
| Depth      | 590mm  | 590mm  | 680mm  |
| Weight     | 21kg   | 20kg   | 18kg   |
| Seat Low   | 480mm  | 480mm  | 520mm  |
| Seat High  | 570mm  | 570mm  |        |
| Max Weight | 120kg  | 120kg  | 120kg  |

# LISA RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y50

Y75

Y100

Y200



Y400

Y500

Y600

Y800



CB Chrome Base

700 Aluminium Base

Chrome Sleigh Frame

## Chair Movement



## Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

## Back

- 25mm Round tubing frame
- 60 x 8mm bottom support brace
- Netted slip cover, concealing frame work

|            | LC6    | LC5   | LC2   |
|------------|--------|-------|-------|
| Height     | 1060mm | 970mm | 990mm |
| Width      | 610mm  | 610mm | 610mm |
| Depth      | 590mm  | 590mm | 580mm |
| Weight     | 20kg   | 19kg  | 18kg  |
| Seat Low   | 480mm  | 480mm | 520mm |
| Seat High  | 570mm  | 570mm |       |
| Max Weight | 120kg  | 120kg | 120kg |

# IRIS RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y50

Y75

Y100

Y200



Y300

Y400

Y500

Y600



Y800

CB Chrome Base

700 Aluminium Base

Chrome Sleigh Frame

## Chair Movement



## Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

## Back

- Pressed plywood
- VP30 med density foam

|            | IC6    | IC5    | IC2    |
|------------|--------|--------|--------|
| Height     | 1130mm | 1060mm | 1070mm |
| Width      | 590mm  | 590mm  | 610mm  |
| Depth      | 630mm  | 610mm  | 710mm  |
| Weight     | 20kg   | 18kg   | 16kg   |
| Seat Low   | 480mm  | 480mm  | 520mm  |
| Seat High  | 570mm  | 570mm  |        |
| Max Weight | 120kg  | 120kg  | 120kg  |

# NIKKI RANGE

## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



## Chair Movement



## Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

## Back

- Pressed plywood
- VP30 med density foam



|            | NC6    | NC5    | NC2    |
|------------|--------|--------|--------|
| Height     | 1150mm | 1060mm | 1070mm |
| Width      | 630mm  | 590mm  | 610mm  |
| Depth      | 630mm  | 630mm  | 710mm  |
| Weight     | 20kg   | 18kg   | 16kg   |
| Seat Low   | 480mm  | 480mm  | 520mm  |
| Seat High  | 570mm  | 570mm  |        |
| Max Weight | 120kg  | 120kg  | 120kg  |

# FIONA RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y50

Y75

Y100

Y200



Y300

Y400

Y500

Y600



Y800

CB Chrome Base

700 Aluminium Base

Chrome Sleigh Frame

## Chair Movement



### Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam
- Roughed upholstered

### Back

- Pressed plywood
- VP30 med density foam
- Upholstered pressed plywood back cover
- Roughed upholstered

|            | FC6    | FC5    | FC2    |
|------------|--------|--------|--------|
| Height     | 1090mm | 1000mm | 1020mm |
| Width      | 600mm  | 600mm  | 600mm  |
| Depth      | 600mm  | 600mm  | 670mm  |
| Weight     | 20kg   | 19kg   | 17kg   |
| Seat Low   | 480mm  | 480mm  | 520mm  |
| Seat High  | 570mm  | 570mm  |        |
| Max Weight | 120kg  | 120kg  | 120kg  |

# HOLLY RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



## Chair Movement



## Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam
- Single laminated plywood shell

## Back

- Pressed plywood
- VP30 med density foam

|            | HC6    | HC5   | HC2    |
|------------|--------|-------|--------|
| Height     | 1120mm | 980mm | 1070mm |
| Width      | 590mm  | 590mm | 590mm  |
| Depth      | 690mm  | 630mm | 710mm  |
| Weight     | 20kg   | 18kg  | 16kg   |
| Seat Low   | 470mm  | 470mm | 510mm  |
| Seat High  | 560mm  | 560mm |        |
| Max Weight | 120kg  | 120kg | 120kg  |

# DIVA RANGE



DC5Y6CB



DC6Y3



DC2



DC6Y3



DC2Y6CRS



DC5Y3



DC2Y4



DC6Y6CB

## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y50

Y75

Y100

Y200



Y300

Y400

Y500

Y600



Y800

CB Chrome Base

700 Aluminium Base

Chrome Sleigh Frame

## Chair Movement



## Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

## Back

- Pressed plywood
- VP30 med density foam
- Upholstered pressed plywood back cover

|            | DC6    | DC5    | DC2    |
|------------|--------|--------|--------|
| Height     | 1090mm | 1000mm | 1020mm |
| Width      | 600mm  | 600mm  | 600mm  |
| Depth      | 600mm  | 600mm  | 670mm  |
| Weight     | 20kg   | 19kg   | 17kg   |
| Seat Low   | 480mm  | 480mm  | 520mm  |
| Seat High  | 570mm  | 570mm  |        |
| Max Weight | 120kg  | 120kg  | 120kg  |

# HEAVY DUTY RANGE



170KGIKG



170KGIKGCA



170KGIKG



170KGIKGCA



170KGIKG



170KGIKGCA

## Standard



700 Aluminium Base  
(4 x 4 Castors)



Standard Black Arm

## Additional Arm & Base Options



Chrome Arm

## Chair Movement



### Seat

- Laminated VC64 chip foam and VP70 high density foam
- Reinforced pressed plywood – 20 to 25mm thick

### Back

- VP30 med density foam
- Reinforced pressed plywood – 20 to 25mm thick

## 170KGIKG

|            |        |
|------------|--------|
| Height     | 1260mm |
| Width      | 680mm  |
| Depth      | 700mm  |
| Weight     | 23kg   |
| Seat Low   | 510mm  |
| Seat High  | 600mm  |
| Max Weight | 170kg  |

# RHONA RANGE



RP6Y5CB



RP5Y3



RP2Y5CSR



RP6Y3



RP5Y5CB



RP2Y3



RP6Y5CB



RP5Y3

## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y50

Y75

Y100

Y200



Y300

Y400

Y500

Y600



Y800

CB Chrome Base

700 Aluminium Base

Chrome Sleigh Frame

## Chair Movement



## Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

## Back

- Pressed plywood
- VP30 med density foam

|            | RP6    | RP5   | RP2    |
|------------|--------|-------|--------|
| Height     | 1170mm | 970mm | 1010mm |
| Width      | 620mm  | 620mm | 600mm  |
| Depth      | 630mm  | 630mm | 680mm  |
| Weight     | 16kg   | 15kg  | 14kg   |
| Seat Low   | 470mm  | 470mm | 520mm  |
| Seat High  | 560mm  | 560mm |        |
| Max Weight | 120kg  | 120kg | 120kg  |

# TAMMY RANGE



## Standard



## Additional Arm & Base Options



## Chair Movement



## Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

## Back

- Pressed plywood
- VP30 med density foam

|            | TC6/B  | TC5/B | TC3S  | TC3/B |
|------------|--------|-------|-------|-------|
| Height     | 1040mm | 930mm | 910mm | 920mm |
| Width      | 610mm  | 610mm | 640mm | 640mm |
| Depth      | 700mm  | 690mm | 750mm | 740mm |
| Weight     | 16kg   | 14kg  | 12kg  | 11kg  |
| Seat Low   | 460mm  | 460mm | 500mm | 500mm |
| Seat High  | 600mm  | 600mm |       |       |
| Max Weight | 120kg  | 120kg | 120kg | 120kg |

# VENUS RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



CB Chrome Base Chrome Sleigh Frame

## Chair Movement



## Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

## Back

- Pressed plywood
- VP30 med density foam

|            | VC6    | VC5   | VC2   |
|------------|--------|-------|-------|
| Height     | 1080mm | 980mm | 980mm |
| Width      | 590mm  | 590mm | 590mm |
| Depth      | 700mm  | 690mm | 710mm |
| Weight     | 16kg   | 15kg  | 14kg  |
| Seat Low   | 480mm  | 480mm | 520mm |
| Seat High  | 570mm  | 570mm |       |
| Max Weight | 120kg  | 120kg | 120kg |



# MILLY RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame



Standard Arm

## Additional Arm & Base Options



CB Chrome Base Chrome Sleigh Frame

## Chair Movement



## Seat

- Pressed plywood
- VP70 high density foam

## Back

- Pressed plywood
- VP30 med density foam

|            | MC6    | MC5   | MC3S  |
|------------|--------|-------|-------|
| Height     | 1100mm | 930mm | 970mm |
| Width      | 580mm  | 580mm | 580mm |
| Depth      | 700mm  | 670mm | 660mm |
| Weight     | 15kg   | 14kg  | 12kg  |
| Seat Low   | 480mm  | 480mm | 520mm |
| Seat High  | 570mm  | 570mm |       |
| Max Weight | 120kg  | 120kg | 120kg |



# PAULA RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame



Standard Arm

## Additional Arm & Base Options



Loop Arm



CB Chrome Base



Chrome Sleigh Frame

## Chair Movement



## Seat

- Pressed plywood
- VP70 high density foam

## Back

- Pressed plywood
- VP30 med density foam

|            | PC6    | PC5   | PC3   | PC2   |
|------------|--------|-------|-------|-------|
| Height     | 1080mm | 920mm | 970mm | 970mm |
| Width      | 570mm  | 570mm | 570mm | 540mm |
| Depth      | 680mm  | 650mm | 640mm | 640mm |
| Weight     | 13kg   | 12kg  | 11kg  | 9kg   |
| Seat Low   | 480mm  | 480mm | 510mm | 510mm |
| Seat High  | 570mm  | 570mm |       |       |
| Max Weight | 120kg  | 120kg | 120kg | 120kg |



# YARIS RANGE



## Standard



Standard Nylon Base



Standard Arm

## Additional Arm & Base Options



CB Chrome Base

## Chair Movement



## Seat

- 16mm Chipboard
- VP70 high density foam

## Back

- 22.23mm Square tubing. Cold rolled steel with 1.2mm wall thickness
- Netted slip cover, concealing frame

|            | YC6    | YC3    | YC2    |
|------------|--------|--------|--------|
| Height     | 1100mm | 1020mm | 1020mm |
| Width      | 550mm  | 550mm  | 550mm  |
| Depth      | 700mm  | 640mm  | 640mm  |
| Weight     | 12kg   | 8.5kg  | 7.5kg  |
| Seat Low   | 510mm  | 490mm  | 490mm  |
| Seat High  | 600mm  |        |        |
| Max Weight | 120kg  | 120kg  | 120kg  |



# ECONO RANGE



## Standard



Standard Nylon Base



Standard Arm

## Additional Arm & Base Options



CB Chrome Base

## Chair Movement



## Seat

- 16mm Chipboard
- VP70 high density foam

## Back

- 16mm Chipboard
- VP30 med density foam

|            | C6     | C5    | C3/C3S   | C2/C2S   |
|------------|--------|-------|----------|----------|
| Height     | 1130mm | 840mm | 860mm    | 860mm    |
| Width      | 570mm  | 570mm | 560mm    | 550mm    |
| Depth      | 710mm  | 620mm | 640mm    | 640mm    |
| Weight     | 15kg   | 13kg  | 9kg/11kg | 8kg/10kg |
| Seat Low   | 490mm  | 490mm | 480mm    | 480mm    |
| Seat High  | 580mm  | 580mm |          |          |
| Max Weight | 120kg  | 120kg | 120kg    | 120kg    |



# BRITNEY RANGE



- Seat**
- Pressed plywood
  - VP70 high density foam
- Back**
- Nylon frame with netted insert

|            | BC5   | BC3   | BC9    |
|------------|-------|-------|--------|
| Height     | 910mm | 900mm | 1130mm |
| Width      | 540mm | 540mm | 540mm  |
| Depth      | 690mm | 680mm | 690mm  |
| Weight     | 11kg  | 11kg  | 14kg   |
| Seat Low   | 480mm | 510mm | 680mm  |
| Seat High  | 570mm |       | 930mm  |
| Max Weight | 120kg | 120kg | 120kg  |



# UTILITY RANGE



## Standard



Standard Nylon Base



Standard Arm

## Additional Arm & Base Options



CB Chrome Base

## Chair Movement



## Seat

- 16mm Chipboard
- VP70 high density foam

## Back

- Pressed plywood
- VP30 med density foam

|            | UC5A  | UC5   | UC3   | UC2   |
|------------|-------|-------|-------|-------|
| Height     | 820mm | 820mm | 830mm | 830mm |
| Width      | 560mm | 560mm | 560mm | 540mm |
| Depth      | 630mm | 630mm | 570mm | 570mm |
| Weight     | 13kg  | 12kg  | 8kg   | 7kg   |
| Seat Low   | 470mm | 470mm | 480mm | 480mm |
| Seat High  | 560mm | 560mm |       |       |
| Max Weight | 120kg | 120kg | 120kg | 120kg |

## AMY STACKER



| Seat                        | Back               |
|-----------------------------|--------------------|
| ■ 16mm Chipboard            | ■ 16mm Chipboard   |
| ■ High Density Foam (AC1F)  | ■ Med Density Foam |
| ■ VC64 Chipfoam Foam (AC2F) |                    |

|            | AC1F  | AC2F  |
|------------|-------|-------|
| Height     | 905mm | 915mm |
| Width      | 460mm | 460mm |
| Depth      | 640mm | 640mm |
| Weight     | 7.5kg | 8kg   |
| Seat High  | 460mm | 460mm |
| Max Weight | 120kg | 120kg |

## WILLI STACKER



| Seat                              | Back                              |
|-----------------------------------|-----------------------------------|
| ■ Injection moulded Polypropylene | ■ Injection moulded Polypropylene |

|            | W1    | W1T   |
|------------|-------|-------|
| Height     | 870mm | 870mm |
| Width      | 470mm | 530mm |
| Depth      | 620mm | 650mm |
| Weight     | 5kg   | 7kg   |
| Seat High  | 480mm | 480mm |
| Max Weight | 120kg | 120kg |

## RICK STACKER



### Seat

- 16mm Chipboard
- V64 Chip Foam

### Back

- 16mm Chipboard
- VP30 Med Density Foam

|            | C1    | C1H   | C1S   | C1A   | C1T   |
|------------|-------|-------|-------|-------|-------|
| Height     | 840mm | 890mm | 840mm | 840mm | 840mm |
| Width      | 460mm | 460mm | 460mm | 610mm | 460mm |
| Depth      | 550mm | 590mm | 610mm | 550mm | 550mm |
| Weight     | 6kg   | 7kg   | 8kg   | 8kg   | 9kg   |
| Seat High  | 490mm | 490mm | 490mm | 490mm | 490mm |
| Max Weight | 120kg | 120kg | 120kg | 120kg | 120kg |

## MAX STACKER



### Seat

- 16mm Chipboard
- VP70 high density foam

### Back

- 16mm Chipboard
- VP30 med density foam

|            | M1    |
|------------|-------|
| Height     | 825mm |
| Width      | 450mm |
| Depth      | 560mm |
| Weight     | 6kg   |
| Seat High  | 490mm |
| Max Weight | 120kg |

## STACKER RANGE



# OPERATORS RANGE



Standard



Standard Nylon Base

Additional Arm & Base Options



Y50

Y75

Y100

Y400



Y500



Y600



Y800



CB Chrome Base

Chair Movement



Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

Back

- Pressed plywood
- VP30 med density foam
- Back rest is height adjustable



|            | S3000 | S4000  | S5000 | S6000  |
|------------|-------|--------|-------|--------|
| Height     | 950mm | 1020mm | 930mm | 1050mm |
| Width      | 500mm | 500mm  | 500mm | 500mm  |
| Depth      | 560mm | 560mm  | 600mm | 620mm  |
| Weight     | 10kg  | 10.5kg | 11kg  | 12.5kg |
| Seat Low   | 485mm | 485mm  | 485mm | 485mm  |
| Seat High  | 570mm | 570mm  | 570mm | 570mm  |
| Max Weight | 120kg | 120kg  | 120kg | 120kg  |

# DRAUGHTSMAN RANGE



## Standard



Standard Nylon Base



Standard Steel Footring

## Additional Arm & Base Options



Freestanding Footring Chrome Freestanding Footring Chrome Footring Nylon Footring

## Chair Movement



### Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

### Back

- Pressed plywood
- VP30 med density foam
- Back rest is height adjustable

|            | S3009  | S4009  | S5009  | S6009  |
|------------|--------|--------|--------|--------|
| Height     | 1170mm | 1230mm | 1140mm | 1270mm |
| Width      | 500mm  | 500mm  | 500mm  | 500mm  |
| Depth      | 560mm  | 560mm  | 600mm  | 620mm  |
| Weight     | 13kg   | 13.5kg | 14kg   | 15.5kg |
| Seat Low   | 690mm  | 690mm  | 690mm  | 690mm  |
| Seat High  | 935mm  | 935mm  | 935mm  | 935mm  |
| Max Weight | 120kg  | 120kg  | 120kg  | 120kg  |

# ECONO TYPIST RANGE



## Standard



Standard Nylon Base

## Additional Arm & Base Options



Y50

Y75

Y100

Y200



Y400



CB Chrome Base

## Chair Movement




## Seat

- Pressed plywood
- VP70 high density foam

## Back

- Pressed plywood
- VP30 med density foam
- Not Adjustable

|            | S500  | S509  | S600  | S609   | S750  | S759   |
|------------|-------|-------|-------|--------|-------|--------|
| Height     | 800mm | 980mm | 900mm | 1070mm | 930mm | 1140mm |
| Width      | 420mm | 420mm | 420mm | 420mm  | 480mm | 480mm  |
| Depth      | 490mm | 490mm | 500mm | 500mm  | 570mm | 570mm  |
| Weight     | 7.5kg | 10kg  | 8kg   | 10.5kg | 9.5kg | 12kg   |
| Seat Low   | 495mm | 660mm | 495mm | 660mm  | 485mm | 680mm  |
| Seat High  | 635mm | 910mm | 635mm | 910mm  | 570mm | 930mm  |
| Max Weight | 120kg | 120kg | 120kg | 120kg  | 120kg | 120kg  |



# INDUSTRIAL RANGE



## Standard



Standard Nylon Base



Standard Steel Footring

## Additional Arm & Base Options



CB Chrome Base



## Chair Movement



## Seat

■ Solid polyurethane moulded onto pressed plywood

## Back

■ Solid polyurethane moulded onto pressed plywood

|            | WC1   | WC9    | WC9-FSFR |
|------------|-------|--------|----------|
| Height     | 860mm | 1020mm | 1070mm   |
| Width      | 490mm | 490mm  | 500mm    |
| Depth      | 600mm | 600mm  | 500mm    |
| Weight     | 10kg  | 13kg   | 13kg     |
| Seat Low   | 470mm | 640mm  | 700mm    |
| Seat High  | 610mm | 890mm  | 950mm    |
| Max Weight | 120kg | 120kg  | 120kg    |

# DENTAL RANGE

## Standard



Standard Nylon Base



Standard Steed Footring

## Additional Arm & Base Options



CB Chrome Base



Freestanding Footring



Chrome Freestanding Footring



Chrome Footring



Nylon Footring



3050



3050B



3059

## Chair Movement



## Seat

- 16mm Chipboard
- Chip foam, covered with 10mm sheet foam

## Back

- Pressed plywood
- Medium Density Foam



3059BFSFR-C



3059NF



3059BFSFR



PROC



3059FSFR

|            | 3050  | 3050B | 3059  | 3059B  | PROC        |
|------------|-------|-------|-------|--------|-------------|
| Height     | 480mm | 845mm | 650mm | 1015mm | 480mm       |
| Width      | 330mm | 400mm | 490mm | 490mm  | 470mm       |
| Depth      | 330mm | 370mm | 490mm | 530mm  | 760mm       |
| Weight     | 5.5kg | 6.5kg | 8kg   | 9kg    | 10kg        |
| Seat Low   | 480mm | 480mm | 650mm | 650mm  | 480mm       |
| Seat High  | 630mm | 630mm | 900mm | 900mm  | 610 - 690mm |
| Max Weight | 120kg | 120kg | 120kg | 120kg  | 120kg       |

# BARSTOOL RANGE



BS



B3R



B

## Seat (B3R)

- 16mm Chipboard
- Moulded Foam

## Seat (B & BS)

- 16mm Chipboard
- Chip foam, covered with 10mm sheet foam

|            | B500  | B600  | B700  | B800  |
|------------|-------|-------|-------|-------|
| Height     | 520mm | 620mm | 720mm | 820mm |
| Width      | 320mm | 320mm | 320mm | 380mm |
| Depth      | 320mm | 320mm | 320mm | 380mm |
| Weight     | 4kg   | 4kg   | 4.5kg | 5kg   |
| Max Weight | 120kg | 120kg | 120kg | 120kg |

|            | B3R500 | B3R600 | B3R700 | B3R800 |
|------------|--------|--------|--------|--------|
| Height     | 550mm  | 650mm  | 750mm  | 850mm  |
| Width      | 490mm  | 490mm  | 490mm  | 490mm  |
| Depth      | 490mm  | 490mm  | 490mm  | 490mm  |
| Weight     | 5kg    | 5.5kg  | 6kg    | 6.5kg  |
| Max Weight | 120kg  | 120kg  | 120kg  | 120kg  |

|            | BS500 | BS600 | BS700 | BS800 |
|------------|-------|-------|-------|-------|
| Height     | 520mm | 620mm | 720mm | 820mm |
| Width      | 410mm | 410mm | 410mm | 410mm |
| Depth      | 410mm | 410mm | 410mm | 410mm |
| Weight     | 5kg   | 5.5kg | 5.5kg | 6kg   |
| Max Weight | 120kg | 120kg | 120kg | 120kg |



B



B3R



BS



B3R



BS

# BARSTOOL RANGE

## BARSTOOL RANGE



BSB



B3RB



BB



BB



B3RB



BB



BSB



B3RB

### Seat (B3RB)

- 16mm Chipboard
- Moulded Foam

### Back (B3RB)

- Pressed Plywood
- VP30 med density foam

### Seat (BB & BSB)

- 16mm Chipboard
- Chip foam, covered with 10mm sheet foam


### Back (BB & BSB)

- 16mm Chipboard
- VP30 med density foam

|            | BB500 | BB600 | BB700  | BB800  |
|------------|-------|-------|--------|--------|
| Height     | 820mm | 920mm | 1020mm | 1120mm |
| Width      | 320mm | 320mm | 320mm  | 380mm  |
| Depth      | 430mm | 430mm | 430mm  | 480mm  |
| Weight     | 5kg   | 5kg   | 5.5kg  | 6kg    |
| Max Weight | 120kg | 120kg | 120kg  | 120kg  |

|            | B3RB500 | B3RB600 | B3RB700 | B3RB800 |
|------------|---------|---------|---------|---------|
| Height     | 790mm   | 890mm   | 990mm   | 1090mm  |
| Width      | 490mm   | 490mm   | 490mm   | 490mm   |
| Depth      | 540mm   | 540mm   | 540mm   | 540mm   |
| Weight     | 7kg     | 7.5kg   | 8kg     | 8.5kg   |
| Max Weight | 120kg   | 120kg   | 120kg   | 120kg   |

|            | BSB500 | BSB600 | BSB700 | BSB800 |
|------------|--------|--------|--------|--------|
| Height     | 820mm  | 920mm  | 1020mm | 1120mm |
| Width      | 410mm  | 410mm  | 410mm  | 410mm  |
| Depth      | 480mm  | 480mm  | 480mm  | 480mm  |
| Weight     | 6kg    | 6.5kg  | 6.5kg  | 7kg    |
| Max Weight | 120kg  | 120kg  | 120kg  | 120kg  |



## RECEPTION RANGE



RBL S3



RBTU13 S3



RBTU13 S3 Tip Up



RBLAS4

### Seat (RBTU13)

- Moulded Polypropylene
- Available in Black, Blue or Burgandy
- Standard Tip-Up Action

### Back (RBTU13)

- Moulded Polypropylene
- Available in Black, Blue or Burgandy

### Seat (RBL)

- Pressed plywood
- VP70 high density foam
- Tip-Up Action Optional

### Back (RBL)

- Pressed Plywood
- VP30 med density foam

|             | RBTU13-S1 | RBTU13-S2 | RBTU13-S3 | RBTU13-S4 | RBTU13-S5 |
|-------------|-----------|-----------|-----------|-----------|-----------|
| Height      | 960mm     | 960mm     | 960mm     | 960mm     | 960mm     |
| Width       | 525mm     | 1055mm    | 1585mm    | 2115mm    | 2645mm    |
| Depth       | 650mm     | 650mm     | 650mm     | 650mm     | 650mm     |
| Weight      | 18kg      | 21kg      | 24kg      | 28kg      | 33kg      |
| Seat Height | 480mm     | 480mm     | 480mm     | 480mm     | 480mm     |
| Max Weight  | 120kg     | 120kg     | 120kg     | 120kg     | 120kg     |

|             | RBLA-S1 | RBLA-S2 | RBLA-S3 | RBLA-S4 | RBLA-S5 |
|-------------|---------|---------|---------|---------|---------|
| Height      | 860mm   | 860mm   | 860mm   | 860mm   | 860mm   |
| Width       | 580mm   | 1100mm  | 1625mm  | 2145mm  | 2665mm  |
| Depth       | 650mm   | 650mm   | 650mm   | 650mm   | 650mm   |
| Weight      | 23kg    | 29kg    | 36kg    | 44kg    | 53kg    |
| Seat Height | 480mm   | 480mm   | 480mm   | 480mm   | 480mm   |
| Max Weight  | 120kg   | 120kg   | 120kg   | 120kg   | 120kg   |

|             | RBL-S1 | RBL-S2 | RBL-S3 | RBL-S4 | RBL-S5 |
|-------------|--------|--------|--------|--------|--------|
| Height      | 860mm  | 860mm  | 860mm  | 860mm  | 860mm  |
| Width       | 580mm  | 1100mm | 1625mm | 2145mm | 2665mm |
| Depth       | 650mm  | 650mm  | 650mm  | 650mm  | 650mm  |
| Weight      | 21kg   | 26kg   | 32kg   | 39kg   | 47kg   |
| Seat Height | 480mm  | 480mm  | 480mm  | 480mm  | 480mm  |
| Max Weight  | 120kg  | 120kg  | 120kg  | 120kg  | 120kg  |

# AUDITORIUM RANGE



AUD2TS3



AUD2S5



AUD2AS4



TU13

| Seat (TU13)                            | Back (TU13)                            | Seat (AUD2)                   | Back (AUD2)             |
|----------------------------------------|----------------------------------------|-------------------------------|-------------------------|
| ■ Moulded polypropylene                | ■ Moulded polypropylene                | ■ Pressed plywood             | ■ Pressed Plywood       |
| ■ Available in black, blue or burgandy | ■ Available in black, blue or burgandy | ■ VP70 high density foam      | ■ VP30 med density foam |
| ■ Standard with tip-up action          |                                        | ■ Standard with tip-up action |                         |

|             | AUD2-S1 | AUD2-S2 | AUD2-S3 | AUD2-S4 | AUD2-S5 |
|-------------|---------|---------|---------|---------|---------|
| Height      | 860mm   | 860mm   | 860mm   | 860mm   | 860mm   |
| Width       | 580mm   | 1150mm  | 1625mm  | 2145mm  | 2665mm  |
| Depth       | 640mm   | 640mm   | 640mm   | 640mm   | 640mm   |
| Weight      | 18kg    | 23kg    | 29g     | 36kg    | 44kg    |
| Seat Height | 460mm   | 460mm   | 460mm   | 460mm   | 460mm   |
| Max Weight  | 120kg   | 120kg   | 120kg   | 120kg   | 120kg   |

|             | AUD2A-S1 | AUD2A-S2 | AUD2A-S3 | AUD2A-S4 | AUD2A-S5 |
|-------------|----------|----------|----------|----------|----------|
| Height      | 870mm    | 870mm    | 870mm    | 870mm    | 870mm    |
| Width       | 580mm    | 1150mm   | 1625mm   | 2145mm   | 2665mm   |
| Depth       | 680mm    | 680mm    | 680mm    | 680mm    | 680mm    |
| Weight      | 20kg     | 26kg     | 33kg     | 41kg     | 50kg     |
| Seat Height | 460mm    | 460mm    | 460mm    | 460mm    | 460mm    |
| Max Weight  | 120kg    | 120kg    | 120kg    | 120kg    | 120kg    |

|             | AUD2-T-S1 | AUD2-T-S2 | AUD2-T-S3 | AUD2-T-S4 |
|-------------|-----------|-----------|-----------|-----------|
| Height      | 870mm     | 870mm     | 870mm     | 870mm     |
| Width       | 580mm     | 1150mm    | 1625mm    | 2145mm    |
| Depth       | 680mm     | 680mm     | 680mm     | 680mm     |
| Weight      | 22kg      | 29kg      | 38kg      | 47kg      |
| Seat Height | 460mm     | 460mm     | 460mm     | 460mm     |
| Max Weight  | 120kg     | 120kg     | 120kg     | 120kg     |

|             | TU13-S1 | TU13-S2 | TU13-S3 | TU13-S4 | TU13-S5 |
|-------------|---------|---------|---------|---------|---------|
| Height      | 960mm   | 960mm   | 960mm   | 960mm   | 960mm   |
| Width       | 700mm   | 1105mm  | 1625mm  | 2145mm  | 2665mm  |
| Depth       | 480mm   | 480mm   | 480mm   | 480mm   | 480mm   |
| Weight      | 15kg    | 18kg    | 21kg    | 25kg    | 30kg    |
| Seat Height | 460mm   | 460mm   | 460mm   | 460mm   | 460mm   |
| Max Weight  | 120kg   | 120kg   | 120kg   | 120kg   | 120kg   |

BONNY RANGE



BAA



BA RH



BALH



BCU



BC

*Carcase*

- 16mm Chipboard is used right through the entire range

*Foam*

- VP30 Med density foam on back rest and seat
- VC64 Chip foam on arm rest, covered with 10mm sheet foam

|             | B/A/A | B/A    | B/C    | B/C/U |
|-------------|-------|--------|--------|-------|
| Height      | 720mm | 720mm  | 720mm  | 395mm |
| Width       | 720mm | 635mm  | 550mm  | 760mm |
| Depth       | 780mm | 780mm  | 780mm  | 760mm |
| Weight      | 26kg  | 20.5kg | 15.5kg | 17kg  |
| Seat Height | 350mm | 350mm  | 350mm  |       |
| Max Weight  | 120kg | 120kg  | 120kg  | 120kg |

# BONNY II RANGE



Standard

Base Options



Black Base



Chrome Base



Silver Base

## Carcase

- 16mm Chipboard is used right through the entire range
- Foot Assembly 32 x 32 mm Square tubing

## Foam

- Seat: VP70 High density foam
- Back: VP30 Med density foam
- VC64 Chip foam on arm rest, covered with 10mm sheet foam

|             | BAAF  | BAAFD  |
|-------------|-------|--------|
| Height      | 800mm | 800mm  |
| Width       | 780mm | 1320mm |
| Depth       | 780mm | 780mm  |
| Weight      | 31kg  | 47kg   |
| Seat Height | 440mm | 440mm  |




BAAF



BAAFD



BAAF



## BOOKCASES



### Carcase

- 16mm Melamine
- 1mm PVC Edging
- Cam and Pin Assembly
- 3mm Backing Board

### Shelves

- 16mm Melamine
- 1mm PVC Edging
- Screw Assembly
- Non-Adjustable

|        | B/CASE 2 | B/CASE 3 | B/CASE 4 | B/CASE 5 |
|--------|----------|----------|----------|----------|
| Height | 730mm    | 1076mm   | 1422mm   | 1768mm   |
| Width  | 786mm    | 786mm    | 786mm    | 786mm    |
| Depth  | 309mm    | 309mm    | 309mm    | 309mm    |
| Weight | 16kg     | 21kg     | 27kg     | 32kg     |

## VERSATILE TABLE



### Top

- 16mm Melamine
- 1mm PVC Edging
- Size: 450 x 450mm

|        | VERS (1 TRAY) | VERS (2 TRAY) |
|--------|---------------|---------------|
| Height | 710mm         | 710mm         |
| Width  | 450mm         | 450mm         |
| Depth  | 450mm         | 450mm         |
| Weight | 8kg           | 9kg           |

## TELEPHONE TABLE



### Top

- 16mm Melamine
- 1mm PVC Edging
- Size: 600 x 450mm

|        | TEL   |
|--------|-------|
| Height | 730mm |
| Width  | 600mm |
| Depth  | 450mm |
| Weight | 9.5kg |

## RECTANGULAR TABLE



White



Mahogany



Cherry

### Top

- 16mm Melamine
- 1mm Flat edging

### Frame

- Top Support: 38x25mm Square Tubing - Cold Rolled Steel with 1.2mm Wall Thickness
- Legs: 25x25mm Square Tubing Cold Rolled Steel with 1.2mm Wall Thickness  
Levelling Adjusters

|          | 1200x600mm    | 1400x700mm    |
|----------|---------------|---------------|
| Height   | 740mm         | 740mm         |
| Width    | 1200mm        | 1370mm        |
| Depth    | 600mm         | 685mm         |
| Weight   | 17kg          | 21kg          |
| Box Size | 1250x635x80mm | 1440x740x80mm |

## TRAPEZOIDAL TABLE



Mahogany



White



Cherry

### Top

- 16mm Melamine
- 1mm Flat edging

### Frame

- Top Support: 38x25mm Square Tubing - Cold Rolled Steel with 1.2mm Wall Thickness
- Legs: 25x25mm Square Tubing Cold Rolled Steel with 1.2mm Wall Thickness  
Levelling Adjusters

|          | 1200x600mm    | 1400x700mm    |
|----------|---------------|---------------|
| Height   | 740mm         | 740mm         |
| Width    | 1200mm        | 1370mm        |
| Depth    | 520mm         | 593mm         |
| Weight   | 13.5kg        | 15.5kg        |
| Box Size | 1280x570x85mm | 1460x645x85mm |

## STANDARD FOLDING TABLE



Open



Folded

### Frame

- Top Support: 32x32mm Square Tubing - Cold Rolled Steel with 1.2mm Wall Thickness
- Legs: 32x32mm Square Tubing Cold Rolled Steel with 1.2mm Wall Thickness  
Levelling Adjusters

### Top

- 16mm Melamine
- 1mm Flat edging

### 1350 Folding Tables

|          | 1350x450mm     | 1350x600mm     | 1800x450mm     | 1800x600mm     |
|----------|----------------|----------------|----------------|----------------|
| Height   | 740mm          | 740mm          | 740mm          | 740mm          |
| Width    | 1350mm         | 1350mm         | 1800mm         | 1800mm         |
| Depth    | 450mm          | 600mm          | 450mm          | 600mm          |
| Weight   | 16.5kg         | 19kg           | 20.5kg         | 22.5kg         |
| Box Size | 1430x550x140mm | 1430x670x140mm | 1880x550x140mm | 1880x670x140mm |

### 1800 Folding Tables

## ROUND FOLDING TABLE



Open



Folded

### Frame

- Top Support: 32x32mm Square Tubing - Cold Rolled Steel with 1.2mm Wall Thickness
- Legs: 32x32mm Square Tubing Cold Rolled Steel with 1.2mm Wall Thickness  
Levelling Adjusters

### Top

- 16mm Melamine
- 1mm Flat edging

|        | 1200DIA | 1500DIA | 1800DIA |
|--------|---------|---------|---------|
| Height | 740mm   | 740mm   | 740mm   |
| Width  | 1200mm  | 1500mm  | 1800mm  |
| Depth  | 1200mm  | 1500mm  | 1800mm  |
| Weight | 28kg    | 35kg    | 42kg    |

## MOBILE FOLDING TABLE



### Frame

- Top Support: 45x35mm Angle Iron, 30x30mm Square Tubing with Spring Loaded Tilt Mechanism
- Legs: 60x30mm Oval Tubing 1.2mm Wall Thickness

### Top

- 16mm Melamine
- 1mm Flat Edging

### 1350 Folding Tables

|        | 1350x450mm | 1350x600mm | 1800x450mm | 1800x600mm |
|--------|------------|------------|------------|------------|
| Height | 740mm      | 740mm      | 740mm      | 740mm      |
| Width  | 1350mm     | 1350mm     | 1800mm     | 1800mm     |
| Depth  | 450mm      | 600mm      | 450mm      | 600mm      |
| Weight | 16kg       | 18kg       | 19kg       | 21kg       |

### 1800 Folding Tables

## TEACHERS DESK



### Frame

- 32mm Square tubing – Cold rolled steel with 1.6mm wall thickness

### Top

- 16mm Melamine
- 1mm Flat edging

### Teachers Desk 1500

|        | 2 Drawer | 3 Drawer | 2 Drawer | 3 Drawer |
|--------|----------|----------|----------|----------|
| Height | 750mm    | 750mm    | 750mm    | 750mm    |
| Width  | 1500mm   | 1500mm   | 1800mm   | 1800mm   |
| Depth  | 850mm    | 850mm    | 850mm    | 850mm    |
| Weight | 46kg     | 49kg     | 52kg     | 56kg     |

### Teachers Desk 1800

## SCHOOL DESK



### Frame

- 25mm Diameter Round Tubing - Cold Rolled Steel with 1.2mm Wall Thickness
- Powder Coated Light Grey

### Top

- 22mm Saligna or 16mm Supawood
- Pencil Groove – Full Length of Top

### Primary School Desk

|        | 550x450x650mm | 1000x450x575mm | 1000x450x650mm |
|--------|---------------|----------------|----------------|
| Height | 650mm         | 575mm          | 650mm          |
| Width  | 700mm         | 1145mm         | 1145mm         |
| Depth  | 450mm         | 450mm          | 450mm          |
| Weight | 6.5kg         | 9.5kg          | 10kg           |

### Secondary School Desk

|        | 550x450x750mm | 750x450x750mm | 1200x450x750mm |
|--------|---------------|---------------|----------------|
| Height | 750mm         | 750mm         | 750mm          |
| Width  | 700mm         | 905mm         | 1345mm         |
| Depth  | 450mm         | 450mm         | 450mm          |
| Weight | 7kg           | 10kg          | 12kg           |

## COMBINATION DESK



### Frame

- 32mm Diameter Round Tubing - Cold Rolled Steel with 2mm Wall Thickness
- Single tube – No Welded Joints
- Powder Coated Light Grey

### Top

- 22mm Saligna or Supawood
- Pencil Groove – Full Length of Top
- Slats Joined with "Dove Tail" Joints

### Single Desks

|             | 650h   | 750h  | 650h   | 750h   |
|-------------|--------|-------|--------|--------|
| Height      | 705mm  | 805mm | 705mm  | 805mm  |
| Width       | 600mm  | 600mm | 1200mm | 1200mm |
| Depth       | 900mm  | 900mm | 900mm  | 900mm  |
| Weight      | 17.5kg | 18kg  | 26.5kg | 27kg   |
| Seat Height | 380mm  | 430mm | 380mm  | 430mm  |

### Double Desk

## TRADITIONAL SCHOOL CHAIR



Traditional School Stacked



Traditional School

### Frame

- 19mm Diameter Round Tubing - Cold Rolled Steel with 1.6mm Wall Thickness
- Powder Coated Light Grey

### Seat & Back

- Pressed Plywood
- Sealed & Varnished

|             | 325h  | 375h  | 450h  |
|-------------|-------|-------|-------|
| Height      | 580mm | 670mm | 750mm |
| Width       | 365mm | 380mm | 455mm |
| Depth       | 380mm | 395mm | 520mm |
| Weight      | 2.5kg | 3kg   | 3.5kg |
| Seat Height | 305mm | 375mm | 450mm |

## STANDARD SCHOOL CHAIR



Standard School

### Frame

- 19mm Square Tubing Cold Rolled Steel with 1.2mm Wall Thickness
- Powder Coated Light Grey / Black

### Seat & Back

- Pressed Supawood
- Sealed & Varnished

|             | 325h  | 375h  | 450h  |
|-------------|-------|-------|-------|
| Height      | 725mm | 775mm | 815mm |
| Width       | 450mm | 450mm | 450mm |
| Depth       | 540mm | 550mm | 570mm |
| Weight      | 5.4kg | 5.5kg | 5.8kg |
| Seat Height | 325mm | 385mm | 435mm |

## CHARLIE LAB



Charlie Lab

### Frame

- 25mm Round Tubing Cold Rolled Steel with 1.6mm Wall Thickness
- 10mm Round Bar Support between Legs

### Seat

- Polypropylene 280mm Diameter
- Beige or Black

|             | B460  | B600  | B690  | B800  |
|-------------|-------|-------|-------|-------|
| Height      | 460mm | 600mm | 690mm | 800mm |
| Width       | 450mm | 450mm | 450mm | 450mm |
| Depth       | 450mm | 450mm | 450mm | 450mm |
| Weight      | 2.5kg | 2.9kg | 3.2kg | 3.5kg |
| Seat Height | 460mm | 600mm | 690mm | 800mm |

**Contact Us:**

**Email: [sales@creinx.co.za](mailto:sales@creinx.co.za)**

**Tel: 064 729 7890**

**We deliver nation wide.**

